

General Feedback Info Attributes

These are the general feedback information attributes associated with a Motion Control Axis.

Feedback n Serial Number

Usage	Access	Data Type	Default	Min	Max	Semantics of Values
Optional - E	Get	SHORT STRING	-	-	-	For example, 0012003400560078

The Feedback n Serial Number attribute is a 16-character string that specifies the serial number of the device associated with Feedback n. If it is not possible for the drive to read the Serial Number from the feedback device the drive sets this attribute to a Null string.

See also

[Feedback Attributes](#)

[General Feedback Signal Attributes](#)

[Feedback Configuration Attributes](#)

▷ [Quick Start Steps](#)

▷ [Logix Designer](#)

▷ [Module Information](#)

◀ [Instruction Set](#)

[Logix 5000 Controllers](#)

[Instruction and Application](#)

[Considerations](#)

[Logix Designer Application](#)

[Instruction Set](#)

[Interpret the Attribute Tables](#)

[Array Concepts](#)

◀ [CIP Axis Attributes](#)

[AXIS_CIP_DRIVE Diagrams](#)

[AXIS_CIP_DRIVE Structure](#)

▷ [Accessing Attributes](#)

[AC Line Condition Attributes](#)

[Acceleration Control Attributes](#)

[Acceleration Control Configuration Attributes](#)

[Additional Error Code Information](#)

▷ [APR Fault Attributes](#)

[Auto-Tune Configuration Attributes](#)

▷ [Axis Exception Action Configuration Attributes](#)

[Axis Info Attributes](#)

[Axis Safety Status Attributes](#)

[Axis Statistical Attributes](#)

[CIP Axis Status Attributes](#)

[CIP Error Codes](#)

[CIP Motion Axis Control Modes](#)

▷ [Command Reference Generation Attributes](#)

[Configuration Fault Attributes](#)

[Control Mode Attributes](#)

[Converter AC Line Configuration Attributes](#)

[Converter AC Line Monitoring Attributes](#)

[Converter AC Line Source Configuration Attributes](#)

[Converter Bus Voltage Control Configuration Attributes](#)

[Converter Bus Voltage Control Signal Attributes](#)

[Converter Control Mode Attributes](#)

[Attributes](#)

[Converter Current Control Configuration Attributes](#)
[Converter Current Control Signal Attributes](#)
[Converter Current Reference Configuration Attributes](#)
[Converter Current Reference Signal Attributes](#)
[Converter Output Attributes](#)
[Converter Reactive Power Control Attributes](#)
[Converter Types](#)
[Current Control Signal Attributes](#)
[Current Control Configuration Attributes](#)
[Cyclic Read and Cyclic Write](#)
[DC Bus Condition Attributes](#)
[Device Function Codes](#)
[Device Commissioning Attributes](#)
[Drive General Purpose I/O Attributes](#)
[Drive Output Attributes](#)
[Drive Parameters](#)
[Event Capture Attributes](#)
[Exception Factory Limit Info Attributes](#)
[Exception User Limit Configuration Attributes](#)
[Exception, Fault and Alarm Attributes](#)
[Exceptions](#)
[Fault and Alarm Behavior](#)
[Feedback Interface Types](#)
[Feedback Configuration Attributes](#)
[Frequency Control Configuration Attributes](#)
[Frequency Control Signal Attribute](#)
[General Feedback Info Attributes](#)
[General Feedback Signal Attributes](#)
[General Linear Motor Attributes](#)
[General Motor Attributes](#)
[General Permanent Magnet Motor Attributes](#)
[General Rotary Motor](#)

Attributes

Guard Safety Attributes

Guard Safety Status

Attributes

Hookup Test Configuration

Attributes

Hookup Test Result

Attributes

Identify Motion Axis

Attributes Based on Device

Function Codes

Induction Motor Attributes

Inertia Test Configuration

Attributes

Inertia Test Results

Attributes

Initialization Faults

Attributes

Interior Permanent Magnet Motor Attributes

Linear PM Motor Attributes

Load Transmission and Actuator Attributes

Local Mode Configuration

Attribute

Module/Node Fault and Alarm Attributes

Motion Control Axis

Behavior Model

Motion Control

Configuration Attributes

Motion Control Interface

Motion Control Methods

Motion Control Modes

Motion control signal

Motion Control Status

Attributes

Motion Database Storage

Motion Dynamic Configuration Attributes

Motion Fault and Alarm

Exceptions

Configuration Attributes

Motion Instruction

Compatibility
Motion Planner
Configuration Attributes
Motion Planner Output

Attributes

[MOTOR ATTRIBUTES MODEI](#)

- [Motor Test Result](#)
- [Attributes](#)
- [No Control Mode](#)
- [Position Control Mode](#)
- [Position Loop Signal](#)
- [Attributes](#)
- [Position Loop Configuration Attributes](#)
- [Power and Thermal Management Configuration Attributes](#)
- [Power and Thermal Management Status Attributes](#)
- [Replicated Attributes](#)
- [Required vs. Optional Axis Attributes](#)
- [Reset an APR Fault](#)
- [Rockwell Automation Specific CIP Axis Alarm Names](#)
- [Rockwell Automation Specific Exceptions](#)
- [Rockwell Automation Specific CIP Axis Fault Names](#)
- [Rockwell Automation Specific Initialization Faults](#)
- [Rockwell Automation Specific Start Inhibits](#)
- [Rotary PM Motor Attributes](#)
- [Standard CIP Axis Fault and Alarm Names](#)
- [Standard Exceptions](#)
- [Rotary PM Motor Attributes](#)
- [Standard Initialization Faults](#)
- [Standard Start Inhibits](#)
- [Start Inhibits Attributes](#)
- [State Behavior](#)
- ▷ [Stopping and Braking Attributes](#)
- [Torque Control Mode](#)
- [Torque/Force Control Configuration Attributes](#)
- [Torque/Force Control Signal Attributes](#)
- [Velocity Control Mode](#)
- [Velocity Loop Configuration Attributes](#)
- [Velocity Loop Signal Attributes](#)
- ▷ [Module Configuration Attributes](#)

[Bit Addressing](#)[Common Attributes](#)[Data Conversions](#)[Elementary data types](#)[LINT data types](#)[Floating Point Values](#)[Immediate values](#)[Index Through Arrays](#)[Math Status Flags](#)[Motion Error Codes \(.ERR\)](#)[Structures](#)

- ▷ [Equipment Sequence instructions](#)
- ▷ [Equipment Phase Instructions](#)
- ▷ [Alarm Instructions](#)
- ▷ [Advanced Math Instructions](#)
- ▷ [Array \(File\)/Misc Instructions](#)
- ▷ [Array \(File\)/Shift Instructions](#)
- ▷ [ASCII Conversion Instructions](#)
- ▷ [ASCII Serial Port Instructions](#)
- ▷ [ASCII String Instructions](#)
- ▷ [Bit Instructions](#)
- ▷ [Compare Instructions](#)
- ▷ [Debug Instructions](#)
- ▷ [Drives Instructions](#)
- ▷ [Drive Safety Instructions](#)
- ▷ [For/Break Instructions](#)
- ▷ [Filter Instructions](#)
- ▷ [Function Block Attributes](#)
- ▷ [Structured Text Attributes](#)
- ▷ [Compute/Math Instructions](#)
- ▷ [Move/Logical Instructions](#)
- ▷ [Input/Output Instructions](#)
- ▷ [License Instructions](#)
- ▷ [Math Conversion Instructions](#)
- ▷ [Metal Form Instructions](#)
- ▷ [Motion Configuration Instructions](#)
- ▷ [Motion Event Instructions](#)
- ▷ [Motion Group Instructions](#)
- ▷ [Motion Move Instructions](#)
- ▷ [Motion State Instructions](#)
- ▷ [Multi-Axis Coordinated Motion Instructions](#)
- ▷ [Logical and Move Instructions](#)
- ▷ [Program Control Instructions](#)
- ▷ [Sequencer Instructions](#)
- ▷ [Special Instructions](#)
- ▷ [Timer and Counter Instructions](#)
- ▷ [Trigonometric Instructions](#)
- ▷ [Process Control Instructions](#)

- ▷ [Select/Limit Instructions](#)
- ▷ [Sequential Function Chart \(SFC\) Instructions](#)
- ▷ [Statistical Instructions](#)
- ▷ [Safety Instructions](#)
- ▷ [Studio 5000 Logix Designer Glossary](#)

Copyright © 2019 Rockwell Automation Technologies, Inc. All Rights Reserved.

[How are we doing?](#)